

## Profile ID

### Infection Prevention and Control - Level 2

CSTF, Infection Prevention and Control - Level 2

Total Score: 10, Passing Grade: 8, Version: 4

1. When managing diarrhoea and vomiting, hands must be decontaminated with: (Select ONE of the following options) (Score: 1)

- Alcohol foam
- Alcohol gel
- Soap and water
- Water only

2. What is the main symptom associated with a clostridium difficile infection: (Select ONE of the following options) (Score: 1)

- Vomiting
- Sneezing
- Profuse diarrhoea
- Dizziness

3. What makes a person vulnerable to infection? (Select ALL that apply) (Score: 1)

- Low immunity
- Having a catheter fitted
- Being old
- Malnourished
- Underlying disease

4. In what way is a single patient item used? (Select ONE of the following options) (Score: 1)

- Once only before sterilisation
- Until it wears out
- Only used on one patient

5. What are the two methods of disinfection? (Select TWO of the following) (Score: 1)

Heat

Chemicals

Washing

6. Which of the following can cause an infection? (Select ALL that apply) (Score: 1)

A fungus

A virus

A bacterium

A cut

7. Which of the following could increase a patient's susceptibility to acquiring an infection? (Select ALL that apply) (Score: 1)

Age

Some medication

Having an underlying medical condition

Poor diet

8. HCAI stands for which of the following? (Select ONE of the following options) (Score: 1)

Hospital Care Acquired Infection

Health Care Acquired Infection

Health Care Associated Infection

9. Local policies on infection prevention and control can be found on which of the following? (Select ONE of the following options) (Score: 1)

Trust Intranet

Department of Health website

Public Health England website

Newspaper

10. Which of the following would help prevent the spread of infection? (Select TWO of the following options) (Score: 1)

Appropriate use of Personal Protective Equipment (PPE)

Good hand hygiene

Administering antibiotics to all patients